

Model	VS-MC0576		
Optical mag. range	× 0.365 ~ × 0.85		
Optical mag.	× 0.365	× 0.576	× 0.85
FOV (VxH mm)	4.7 × 6.3	3.0 × 4.0	2.0 × 2.7
WD	56.6 mm	40.0 mm	30.7 mm
O/I (Object & Imager distance)	85.1 mm	72.0 mm	67.2 mm
Working F/#	9.53	10.99	7.57
NA	0.019	0.026	0.056
DOF at PCoC $\phi$ 0.04mm	5.7 mm	2.6 mm	0.8 mm
Resolution *at $\lambda$ 550nm	6.0 $\mu$	6.7 $\mu$	5.3 $\mu$
TV distortion (1/6")	-0.01%	0.00%	0.00%
Relative illuminance (1/6")	99.4%	99.5%	99.6%
Wavelength	Visible (400nm - 700nm)		
Camera mount	M10.5 P=0.5		
Flange Back	2.2 mm		
Sensor size (max.)	1/6" ( $\phi$ 3.7)		
Weight (approx.)	5 g		
Dimension	$\Phi$ 12.5 × L = 26.3 (× 0.365) ~ 34.3 (× 0.85) mm		

※ TVディストーションの値は設計値です。